

Array of elcosanoids produced depends upon cell type. Cellular response is a function of intracellular and extracellular receptors.

Figure 1





Figure 2



$$[C] \xrightarrow{H_3C} \xrightarrow{H_2} \xrightarrow{H_2} \xrightarrow{H} \xrightarrow{OH} \xrightarrow{OH}$$

$$[\mathbf{D}] \xrightarrow{\mathsf{H}_3\mathsf{C}} \overset{\mathsf{H}_2\;\mathsf{H}}{\mathsf{H}_0} \overset{\mathsf{OH}}{\underset{\mathsf{O}}{\mathsf{OH}}} \overset{\mathsf{OH}}{\underset{\mathsf{O}}{\mathsf{OH}}}$$

$$[E] \xrightarrow{\text{H}_3C} \xrightarrow{\text{H}_2 \text{ H}} \xrightarrow{\text{OH}} \xrightarrow{\text{OH}} \xrightarrow{\text{OH}}$$

Figure 3

WO 2004/037180

4/14

Figure 4

[A]

[B]

[C]

Figure 5

WO 2004/037180 PCT/US2003/033362

6/14




Figure 6




Figure 7




Figure 8




Figure 9




FIGURE 10

and the second second




Figure 11

WO 2004/037180 PCT/US2003/033362

## 12/14




Figure 11






Figure 11






Figure 11